



LED SYSTEMS BULB STYLE COLLECTION



RECOMMENDED BY SPECIALISTS

- Design reflects a conventional bulb
- Large amount of light and even propagation
- On board computer error free, no need to add resistor
- Advanced technology: low power consumption and protection against overheating
- Vibration resistant, long life
- Available voltage: 12V and 24V






Category: Capless bulb

Cap: W2,1x49,5d

Type: T10 W5W, W3W


BULB STYLE solutions for this bulb below.

REMEMBER THE GUIDELINES FOR CHOOSING THE RIGHT TYPE OF BULB. BEFORE USE, CHECK THE REGULATIONS IN YOUR COUNTRY.



T10 SMD 5730 MATT

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	1,5	2	WHITE 6000K	SMD 5730	80	180°	4069	93534069	5 902004 164069	BLISTER 2PCS	1/50
24	1,5	2	WHITE 6000K	SMD 5730	80	180°	4076	93534076	5 902004 164076	BLISTER 2PCS	1/50



T10 CREE 2525 CLEAR


VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	3	1	WHITE 6000K	CREE 2525	120	180°	6537	93536537	5 902004 166537	BLISTER 2PCS	1/50
24	3	1	WHITE 6000K	CREE 2525	120	180°	6544	93536544	5 902004 166544	BLISTER 2PCS	1/50



Standard bulb vs. Bulb style LED MATT



Standard bulb vs. Bulb style LED CLEAR



Category: Festoon bulb


Cap: SV8,5 10x36

Type: C5W

BULB STYLE solutions for this bulb below.




REMEMBER THE GUIDELINES FOR CHOOSING THE RIGHT TYPE OF BULB. BEFORE USE, CHECK THE REGULATIONS IN YOUR COUNTRY.



SV8,5 10x36 SMD 2835 MATT

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	3	6	WHITE 6000K	SMD 2835	120	180°	5080	93535080	5 902004 165080	BLISTER 2PCS	1/50
24	3	6	WHITE 6000K	SMD 2835	120	180°	5097	93535097	5 902004 165097	BLISTER 2PCS	1/50




SV8,5 10x36 CREE 2525 CLEAR

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	3	2	WHITE 6000K	CREE 2525	160	180°	6551	93536551	5 902004 166551	BLISTER 2PCS	1/50
24	3	2	WHITE 6000K	CREE 2525	160	180°	6568	93536568	5 902004 166568	BLISTER 2PCS	1/50



Standard bulb vs. Bulb style LED MATT



Standard bulb vs. Bulb style LED CLEAR



Category: Warning bulb

Cap: BA9s

Type: T4W

BULB STYLE solutions for this bulb below.



REMEMBER THE GUIDELINES FOR CHOOSING THE RIGHT TYPE OF BULB. BEFORE USE, CHECK THE REGULATIONS IN YOUR COUNTRY.



BA9s SMD 5730 MATT

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	1,5	2	WHITE 6000K	SMD 5730	80	180°	5103	93535103	5 902004 165103	BLISTER 2PCS	1/50
24	1,5	2	WHITE 6000K	SMD 5730	80	180°	5110	93535110	5 902004 165110	BLISTER 2PCS	1/50



BA9s CREE 2525 CLEAR

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	3	1	WHITE 6000K	CREE 2525	120	180°	6575	93536575	5 902004 166575	BLISTER 2PCS	1/50
24	3	1	WHITE 6000K	CREE 2525	120	180°	6582	93536582	5 902004 166582	BLISTER 2PCS	1/50



Standard bulb vs. Bulb style LED MATT



Standard bulb vs. Bulb style LED CLEAR



Category: Auxiliary light bulb

Cap: BA15s

Type: R5W, R10W

BULB STYLE solutions for this bulb below.



REMEMBER THE GUIDELINES FOR CHOOSING THE RIGHT TYPE OF BULB. BEFORE USE, CHECK THE REGULATIONS IN YOUR COUNTRY.



BA15s SMD 2835 MATT

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	4,5	6	WHITE 6000K	SMD 2835	120	180°	6490	93536490	5 902004 166490	BLISTER 2PCS	1/25
24	4,5	6	WHITE 6000K	SMD 2835	120	180°	6506	93536506	5 902004 166506	BLISTER 2PCS	1/25
12	4,5	6	RED	SMD 2835	30	180°	6513	93536513	5 902004 166513	BLISTER 2PCS	1/25
24	4,5	6	RED	SMD 2835	30	180°	6520	93536520	5 902004 166520	BLISTER 2PCS	1/25



BA15s CREE 3535 CLEAR



VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	5	1	WHITE 6000K	CREE 3535	250	180°	6636	93536636	5 902004 166636	BLISTER 2PCS	1/25
24	5	1	WHITE 6000K	CREE 3535	250	180°	6643	93536643	5 902004 166643	BLISTER 2PCS	1/25
12	5	1	RED	CREE 3535	80	180°	6650	93536650	5 902004 166650	BLISTER 2PCS	1/25
24	5	1	RED	CREE 3535	80	180°	6667	93536667	5 902004 166667	BLISTER 2PCS	1/25



Standard bulb vs. Bulb style LED MATT



Standard bulb vs. Bulb style LED CLEAR



Category: Auxiliary light bulb

Cap: BA15s

Type: P21W

BULB STYLE solutions for this bulb below.



REMEMBER THE GUIDELINES FOR CHOOSING THE RIGHT TYPE OF BULB. BEFORE USE, CHECK THE REGULATIONS IN YOUR COUNTRY.



BA15s SMD 2835 MATT

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	4,5	9	WHITE 6000K	SMD 2835	180	180°	4984	93534984	5 902004 164984	BLISTER 2PCS	1/25
24	4,5	9	WHITE 6000K	SMD 2835	180	180°	5059	93535059	5 902004 165059	BLISTER 2PCS	1/25
12	4,5	9	RED	SMD 2835	45	180°	5332	93535332	5 902004 165332	BLISTER 2PCS	1/25
24	4,5	9	RED	SMD 2835	45	180°	5349	93535349	5 902004 165349	BLISTER 2PCS	1/25



BA15s CREE 3535 CLEAR


VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	5	1	WHITE 6000K	CREE 3535	250	180°	6599	93536599	5 902004 166599	BLISTER 2PCS	1/25
24	5	1	WHITE 6000K	CREE 3535	250	180°	6605	93536605	5 902004 166605	BLISTER 2PCS	1/25
12	5	1	RED	CREE 3535	80	180°	6612	93536612	5 902004 166612	BLISTER 2PCS	1/25
24	5	1	RED	CREE 3535	80	180°	6629	93536629	5 902004 166629	BLISTER 2PCS	1/25



Standard bulb vs. Bulb style LED MATT



Standard bulb vs. Bulb style LED CLEAR



Category: Auxiliary light bulb

Cap: BAY15d

Type: P21/5W

BULB STYLE solutions for this bulb below.

REMEMBER THE GUIDELINES FOR CHOOSING THE RIGHT TYPE OF BULB. BEFORE USE, CHECK THE REGULATIONS IN YOUR COUNTRY.



BAY15d SMD 2835 MATT

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	4,5	9	WHITE 6000K	SMD 2835	180	180°	5066	93535066	5 902004 165066	BLISTER 2PCS	1/25
24	4,5	9	WHITE 6000K	SMD 2835	180	180°	5073	93535073	5 902004 165073	BLISTER 2PCS	1/25
12	4,5	9	RED	SMD 2835	45	180°	5356	93535356	5 902004 165356	BLISTER 2PCS	1/25
24	4,5	9	RED	SMD 2835	45	180°	5363	93535363	5 902004 165363	BLISTER 2PCS	1/25



BAY15d CREE 3535 CLEAR

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	5	1	WHITE 6000K	CREE 3535	250	180°	6674	93536674	5 902004 166674	BLISTER 2PCS	1/25
24	5	1	WHITE 6000K	CREE 3535	250	180°	6681	93536681	5 902004 166681	BLISTER 2PCS	1/25
12	5	1	RED	CREE 3535	80	180°	6698	93536698	5 902004 166698	BLISTER 2PCS	1/25
24	5	1	RED	CREE 3535	80	180°	6704	93536704	5 902004 166704	BLISTER 2PCS	1/25



Standard bulb vs. Bulb style LED MATT



Standard bulb vs. Bulb style LED CLEAR



Category: Auxiliary light bulb

Cap: BAU15s

Type: PY21W

BULB STYLE solutions for this bulb below.



REMEMBER THE GUIDELINES FOR CHOOSING THE RIGHT TYPE OF BULB. BEFORE USE, CHECK THE REGULATIONS IN YOUR COUNTRY.



BAU15s SMD 2835 MATT

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	4,5	9	AMBER	SMD 2835	45	180°	5370	93535370	5 902004 165370	BLISTER 2PCS	1/25
24	4,5	9	AMBER	SMD 2835	45	180°	5387	93535387	5 902004 165387	BLISTER 2PCS	1/25



BAU15s CREE 3535 CLEAR

VOLT	WATT	NO. LED	COLOUR	LED TYPE	LUMEN (lm)	VIEWING ANGLE	CODE	NO. REF.	EAN	UNIT PACK.	PACK. SYSTEM
12	5	1	AMBER	CREE 3535	80	180°	6711	93536711	5 902004 166711	BLISTER 2PCS	1/25
24	5	1	AMBER	CREE 3535	80	180°	6728	93536728	5 902004 166728	BLISTER 2PCS	1/25



Standard bulb vs. Bulb style LED MATT



Standard bulb vs. Bulb style LED CLEAR